



## Review of the OSI Model and TCP/IP Protocol Suite on Modern Network Communication

Annu<sup>1</sup>, Dr. Anil Dudy<sup>2</sup>

<sup>1</sup> Research Scholar, Department of Electronics and Communication Engineering  
Baba Mastnath University, Rohtak (Haryana) India

<sup>2</sup> Associate Professor, Department of Electronics and Communication Engineering  
Baba Mastnath University, Rohtak (Haryana) India

**ABSTRACT:** Layered approaches to networking are possible. Network architects categorize protocols in order to simplify their designs. Each layer has its own protocol for talking to the outside world. Every component of the network implements some of the nth layer. Messages are sent back and forth between these parts. Layer n protocol data units [n-PDU] are the official name for these transmissions. All the steps necessary for efficient conversation are covered and these steps are organized into layers for easy comprehension. Layered architecture describes this kind of planning for a communications system. The OSI model is a framework for developing and implementing network-based software applications. It also serves as a basis for the development of new networking protocol hardware, and architectures. This document compares and contrasts the OSI Reference Model seven layers with those of the TCP/IP Model four. There are distinct roles at each successive level. All Internet communication duties may be traced back to the TCP/IP reference model.

**KEYWORDS:** TCP/IP, OSI, Networking

### INTRODUCTION

Computer networks are groups of independent computers linked together using a common protocol. Network protocols are the lingua franca of the computer world. These protocols detail the bit-by-bit nature of computer-to-computer communication. It explains the norms and protocols that must be followed by all gadgets on a network. Packet switching is often used by protocols to transmit and receive data [1].

Protocols in a network provide the rules for how information is to be formatted and sent in messages and how devices are to find and connect with one another. For dependable and/or fast data transfer via networks certain protocols include message acknowledgment and data compression. The protocols build upon one another.

By the time the Internet was created, layering was a tried-and-true method for developing compilers and operating systems [3]. As a result, the idea of layered protocols emerged and they are currently the foundation of protocol design [4]. Each layer exists to support the ones above it by delivering certain functions. To the layer above it, each successive layer is like a virtual machine. Data encapsulation, abstract data types and information concealing are several names for the same idea in computer science and programming. The basic concept is to serve its consumers while concealing information about its internal state and the algorithms it employs.

In order for two data communication devices to exchange information with one another, a network protocol is required. Data transmission and reception is the foundation of every communication system. The following should be done to a large extent most of the time:

- Information interchange formats for digital bit strings.
- A lookup by address.
- The sending and receiving addresses in an electronic communication must have the same format.
- Internetworking-based routing.
- Networks that cannot guarantee fault-free operation need error detection.
- Timeouts and failed attempts to retrieve lost data.
- Management of sequence in the face of lost, delayed or divergent lengthy strings of bits.

- Managing the flow of data when one party transmits at a higher rate than the other.
- If transmission is unidirectional, the direction of information flow must be considered.
- Connection-oriented communication acknowledgments for packet delivery success.

The networking protocol is put into action by connecting the protocol software modules to the OS framework [2]. Transmissions between systems seldom employ a solitary protocol. Instead, they use a collection of interoperating protocols, sometimes known as a protocol family or suite. IPX/SPX, AX.25, AppleTalk, and TCP/IP are only a few of the most well-known protocols.

Modern layouts include several layers of protocols. Layering is a design strategy that breaks down complex protocols into smaller, more manageable pieces, each of which is responsible for a discrete sub-task and only communicates with other layers in a few, well-defined ways [5]. The benefits of layered protocols include clearer specification of the techniques for transmitting information across levels as part of the protocol suite and isolation of modifications made inside a protocol layer from the other layers. Having them separated into their own functional levels makes it much easier to designate appropriate protocols for each layer's specific tasks. The four-layer Protocol Stack used by TCP/IP and the seven-layer OSI model are both examples of layered protocols. If you break the rules, it will be hard to talk to each other.

The diagram below depicts a four-layer network. Peers are the entries that make up the matching levels on separate computers. The peers may either be other processes or other hardware devices. There is no one-to-one correspondence between machines layers n. Instead, information is sent from one layer to the next, all the way down to the bottom layer. Layer 1 at the bottom is the actual medium that allows for communication to take place.

In Figure 1, the dotted lines represent virtual communication whereas the solid lines represent physical communication [8]. Each set of neighboring layers has an interface between them. The interface specifies the set of basic operations and services provided by the underlying layer to the one above it. Determining uncluttered interfaces between layers is a crucial factor.




Figure 1: Layers, Protocols and Interfaces [7]

Each layer has to carry out a small set of well-defined tasks to keep the data footprint to a minimum. Since the new implementation provides the same set of services to the upstairs neighbor as the previous version, it is easier to replace one layer with a totally different implementation.

We refer to the framework of a network as its architecture. Since the implementation and interface specifications are internal to the machines, they cannot be considered part of the architecture. A protocol stack is a hierarchical set of protocols utilized by a given system. The OSI reference model and the TCP/IP reference model are two widely used frameworks for designing networks. The OSI reference model is briefly explained. We learn what the TCP/IP reference model is. There will be a comparison of the two

models, followed by a summary and final thoughts.

**OSI Reference Model**

In 1984, ISO (the International Organization for Standardization) presented the Open System Interconnection Model. The approach provides a seven-layer summary of complex network phenomena and instances. By dividing a communication system into abstraction layers, its inner workings may be defined and standardized. The seven logical levels of the model are used to organize the various communication functions. Each layer is both a provider and a recipient of services from the layers above and below it. The seven-layer structure is based on the following principles:

- Each layer requests to serve a specific purpose.
- When a new level of abstraction is required, a layer should be added.
- International protocols should be defined by the roles that each layer plays.
- Information leakage between layers should be kept to a minimum at their borders.
- There should be a sufficient number of levels so that unrelated tasks aren't lumped together where they won't be useful [9], but not so many that the design becomes unmanageable.

This model was created to reduce the learning curve for working with networks and to make troubleshooting networks less complicated [10]. Figure 2 below describes the OSI model's layers:




Figure 2: OSI Reference Model

**The Physical Layer**

The Physical Layer is the OSI Model lowest level. It deals with the actual network's features, such that the cables utilized, the connections, the maximum length of the wires and so on [11]. The physical layer is in charge of sending unencoded data via the network. The data connection's electrical and physical requirements are laid forth. The connection between a gadget and its physical transmission medium (such as a wire or a fiber optic cable) is also discussed. The design challenges must ensure that when one side transmits a 1, the other side also receives a 1, and not a 0.

The Electrical Characteristics of the Signals Used in Data Transmission Over Cables are also defined by the Physical Layer. These



signals have no significance beyond the binary values 0 and 1 as defined by the Physical Layer. The bits sent at the Physical Layer need to have meanings assigned to them at higher OSI model layers.

## The Data Link Layer

At the Data Link Layer, the bottommost layer of a network, bits are conferred with significance before being transmitted. Data-link protocols handle concerns such as the utmost packet magnitude, how to authenticate that only one node at a given moment is transmitting data across the network, and how to stop numerous nodes from transmitting data simultaneously.

The information connection layer's main duty is to hide any transmission issues from the network layer, rendering a basic transmission capability appear flawless. Mistakes in the physical layer may be identified and conceivably reestablished to offer a stable linkage between two directly connected nodes.

The Media Access Control (MAC) layer and the Logical Link Control (LLC) layer are two sub-layers of the data link layer. Entry to network information and permission to transmit it are regulated by the MAC sub layer. Frame synchronization, stream regulation and error verification are all supervised by the LLC layer.

The task is accomplished by sequentially transmitting data frames that were previously fragmented by the sender. If the service is reliable, the receiving end will verify successful delivery of each frame with an acknowledgment frame of its own. PPP, FDDI, ATM, IEEE 802.5/802.2 and IEEE 802.3/802.2 are all examples of Layer 2 Data Links.

## The Network Layer

Communications transmitted across a network are conveyed through the Network Layer. It controls the operation of the subnet. The Network Layer is accountable for logical addressing within other things. MAC addresses are visible addresses that are assigned to each network device when it is initially formed. To gain entry to a device on a network, it must be allocated a sensible location. IP and IPX are the network layer accountable for this. MAC addresses are obtained from logical addresses through the Network Layer protocol.

The Network layer is additionally accountable for routing or establishing the finest way across the network. A computer on one network utilizes routing when it desires to transfer a packet to another computer on a distinct network. A router functions at the Network Layer and is accountable for transmitting the packet to its ultimate endpoint. Routers' capacity to connect different Layer-2 protocols is an important capability. A router, for example, can connect the divide between two networks functioning on different collections of low-level protocols, like an Ethernet-based local area network and a TCP/IP-based wide area network [12].

## The Transport Layer

The Transport Layer is the bottommost tier of a network's structure where information can be transmitted from one device to another. End-to-end mistake retrieval and stream regulation are managed by this layer, which additionally enables data conveyance between hosts. It ensures the complete transfer of information. It additionally determines the type of assistance the session layer, and thus the users of the network will receive.

The transport layer is accountable for the dependable and punctual conveyance of information without any distortion, replication, or misplacement. It liberates the higher layer protocols from worrying about data interchange with their counterparts. The abilities of the underlying network layer determine the ideal magnitude and difficulty of a transport protocol. A skilled network level with virtual pathway assistance may be achieved with simply a handful of layers of conveyance. The transportation protocol should possess flexible error identification and restoration capabilities if the network layer is unreliable and/or exclusively sustains datagrams.

Frequently, the Transport Layer protocol will disassemble a message into smaller packets so that it can be transmitted more rapidly and efficiently across the network. When a message is received, the Transport Layer protocol assembles all the fragments to guarantee that no data is misplaced during transportation.

## The Session Layer

Sessions are established between nodes in a network at the Session Layer. Before any data is transmitted over a network, a session must initially be established. The session layer is accountable for establishing and sustaining these connections. Discussions, interactions and talks between apps are initiated, coordinated, and closed via the session layer. It's focused on synchronizing meetings and connections.



## The Presentation Layer

When the demonstration service provides an extensive correlation between application-level entity syntax and semantics, the Presentation Layer establishes a setting in which the application-level entities can employ their facilitated syntax and semantics. If a mapping is discovered, information entities from the presentation service are enveloped in information entities from the session protocol and transported further down the protocol stack [13]. This layer frequently discovered in an operating system, translates with distinct exhibition arrangements for information as it travels in both directions [14]. By converting from application to network format, and vice versa, this layer enables applications to operate autonomously of corrections in data interpretation (such as encoding). Information is converted by the presentation layer so that it can be utilized by the application layer. This layer prepares information for conveyance across a network by arranging and ciphering it, executing it universally employable.

## The Application Layer

The OSI application layer is the most directly user-facing layer, enabling for two-way communication between the user and the program. This layer communicates with applications that utilize a networking component. Numerous user-solicited protocols can be discovered on the application layer. The functioning of applications and end users are aided by this layer.

Collaborators in communication are established, excellence of service is evaluated, user verification and confidentiality are considered, and data grammatical limitations are acknowledged. At this stage, everything is customized to a specific software. Hyper Text Transfer Protocol (HTTP) is one frequently utilized application protocol since it serves as the basis of the World Wide Web. A browser requests a webpage by transmitting the server the desired page's title via the Hypertext Transfer Protocol (HTTP). The page is subsequently delivered by the server. File exchanging, electronic mail, and network message boards all utilize diverse application protocols. The application layer is the unique site of protocols such as Telnet and FTP. This layer is accountable for layered application frameworks [15].

## TCP/IP Model

Transmission Control Protocol/Internet Protocol is abbreviated as "TCP/IP." It establishes the guidelines for how computers and other electronic devices should interact with each other through the Internet. TCP is the protocol in control of dividing data into packets before transmitting them over a network and assembling them after they have reached their target. Inter-machine conversation is managed via IP. It manages online packet addressing, transmission, and reception. Transmission Control Protocol (TCP) guarantees the accurate transmission of data packets between applications on diverse computers through a network (like the Internet). The transport layer is where it might be discovered.


Numerous educational institutions and governmental establishments were interconnected via rented phone lines and the APPARNET, a research network supported by the Department of Defense (DoD). A fresh reference framework was formulated because existing protocols encountered challenges when interacting with recently introduced satellite and wireless networks. The main goal was to guarantee the seamless functioning of interconnected networks. The TCP/IP Model is the title that ultimately followed for this specific structure.

The continuation of ongoing discussions was another crucial requirement [16] for the network design. What this implies is that the Department of Defense required links to endure as long as the source and destination device were operational, even if any of the devices or communication lines in between suddenly ended operation. Various applications, ranging from document exchange to voice over IP in live time, require a versatile layout. IP and TCP rely on each other immensely. IP designates where data packets should go while TCP guarantees their secure transmission.

TCP/IP functions on two separate tiers. Transmission Control Protocol, an upper layer, is accountable for dismantling a communication or document into smaller fragments for conveyance across the World Wide Web and subsequently reconstructing them into the initial communication upon reception. Internet Protocol, a subordinate layer protocol, is accountable for ensuring that packets are dispatched to the accurate destinations. This location is utilized by each gateway machine in the network to ascertain where the message must to be dispatched. A few of the communication packets might follow an alternative route, but they will all be reconstructed at the ultimate endpoint [17].

The seven layers of the Open Systems Interconnection (OSI) framework correspond to one or more of the model's layers. Figure 3 displays the model's stratification configuration.





**Figure 3: TCP/IP Model.**

### **The Network Access Layer**

In the TCP/IP model, the uppermost layer is the Network Access Layer. How bits are electrically or visually signaled by hardware devices that interface directly with a network media like coaxial cable, optical fiber, or twisted pair copper wire is explained in the Network Access Layer [19]. This layer manages the transfer and receipt of TCP/IP packets across the network medium. TCP/IP was engineered to operate with any frame structure and medium, irrespective of the manner in which the network is accessed. TCP/IP enables the interlinking of numerous various network structures. Local Area Network (LAN) technologies like Ethernet and Token Ring, and Wide Area Network (WAN) technologies like X.25 and Frame Relay are examples of these. TCP/IP's ability to be adjusted to unique network technologies such as Asynchronous Transfer Mode (ATM) is primarily recognized to its autonomy from any specific network technology.

The OSI model Data Link and Physical layers are merged into a solitary entity known as the Network Access Layer. It is crucial to bring in mind that the Internet layer does not utilize any ordering or acknowledgment services that might be accessible at the Data-Link layer. It is thought that the Network Access layer is unpredictable and it is the duty of the Transport layer to offer dependable communications by establishing sessions and appropriately ordering and acknowledging packets.

### **Internet Layer**

The Internet Layer is the middle layer of the TCP/IP architecture. Between the underlying Network Access Layer and the higher-level Transport Layer is where you'll find the Internet. The Internet Protocol layer encapsulates data into packets called IP datagrams, which are then sent from host to host and network to network using the data's source and destination addresses. IP datagrams are also routed via the Internet layer.

A layer of connectionless internetwork is essential to the operation of a packet switching network. The Internet layer is the highest level. Its purpose is to let hosts send packets into any network and have those packets reach their destination without any intervention from the sending network. Data packets arriving at their destination may not be in the same sequence as they were transmitted. The upper layers are responsible for rearranging the packets such that the Application layer of the network can receive them and process them appropriately [20].

Packet transmission over various networks falls under this layer's purview. In order to do any kind of internetworking, data must be sent from one network to another. The term for this procedure is "routing" [21].

The Internet layer is not only neutral with regards to transport layer data formats, but it also does not make any distinctions between the functions performed by the different transport layer protocols. Information for many uppers may be sent through IP. Internet Control Message Protocol (ICMP) and Internet Group Management Protocol (IGMP) are examples of such protocols and they are both designated by the numbers 1 and 2 respectively. Some of the most important protocols implemented at the Internet layer include the Internet Control Message Protocol (ICMP), the Address Resolution Protocol (ARP), the Reverse Address Resolution Protocol (RARP), and the Internet Group Management Protocol (IGMP).



## Transport Layer

Data packets may be sent from one end of the network to the other merits to the Transport Layer. End-to-end (host-to-host) communication is the focus of the Transport Layer. Transmission Control Protocol (TCP) is an Internet Protocol (IP) layer protocol that ensures the secure, connection-oriented transfer of data between two computers' endpoints (sockets). The User Datagram Protocol allows for the unreliable, connectionless transfer of data between two Internet Protocol endpoints (sockets) on different systems. When sending data, the Transport Layer passes it on to the Internet Layer and when receiving data, it passes it on to the application layer [22]. The transport layer controls the flow of data during a communication session between hosts and specifies the quality of service and connection status being utilized.

## Application Layer

The TCP/IP Application Layer specifies the protocols used by applications running on a host computer to communicate with network services provided by the Transport Layer.

The user's communication interface is provided by this layer. The browser, email client, or file transfer client are all examples of such software. Here is where you'll find your web browser, telnet client, FTP client, email client, and so on. Any program that runs on top of TCP or UDP utilizes two IP addresses and two corresponding virtual network sockets. Data is sent to and received from the transport layer by the application layer.

For the TCP/IP protocol suite, this is the highest level. Applications and processes that rely on transport layer protocols to transmit data to their final destinations are part of this layer. Options for protocols to use at each tier allow it to perform its specified function. Therefore, apps may connect with the second layer, the transport layer, through a variety of protocols available at the application layer. Domain Name System (DNS), Hypertext Transfer Protocol (HTTP), Telnet, Secure Shell (SSH), File Transfer Protocol (FTP), Trivial File Transfer Protocol (TFTP), Simple Mail Transfer Protocol (SMTP), Dynamic Host Configuration Protocol (DHCP), X Window System (X Windows), Remote Desktop Protocol (RDP), etc. are all examples of protocols found in the application layer [23].

## Comparison between OSI and TCP/IP Models

Email, the World Wide Web, File Transfer Protocol, etc. all utilize Transmission Control Protocol to communicate across the Internet. The Digital Advanced Research Projects Agency (DARPA) created TCP/IP so that different devices may communicate over a single network (the Internet). The primary goal of the protocol's development was to provide a reliable, self-repairing phone line breakdown on the battlefield. Open Systems Interconnection, on the other hand, was created by ISO (the International Organization for Standardization). The seven-layer model and a selection of protocols [24] make up the two main parts of this paradigm.

**Table 1: OSI and TCP/IP Model.**

OSI Reference Model	TCP/IP
Application Layer	Application Layer
Presentation Layer	
Session Layer	
Transport Layer	Transport Layer
Network Layer	Internet Layer
Data Link Layer	Network Access Layer
Physical Layer	

Although the TCP/IP Model merely consists of four layers, the OSI Model encompasses a total of seven layers. This is due to the fact that, beyond the Transport Layer, TCP/IP anticipates programs to manage everything themselves. It's significant to mention that the TCP/IP Model combines the Physical and Data Link Layers of the OSI into a solitary Network Access Layer [26]. Table 1 illustrates the main disparities between the OSI and TCP/IP architectures.

The Open System Interconnection (OSI) proposal was formulated by the International Organization for Standardization (ISO) as a "benchmark model" to describe the appropriate partition of work and interaction amongst the numerous software and hardware



constituents that constitute a network communication. From the Physical interface at Layer 1 (also recognized as the physical layer) to the application layer at Layer 7, it constructs a seven-layer stack of operational components.

A few of the utmost significant protocols that constitute the Internet are the Transmission Control Protocol (TCP) and the Internet Protocol (IP). Internet Protocol (IP) designates the methods by which computers can interchange information across a network of routed and interconnected networks. TCP describes how applications can establish secure channels of communication in such a framework. TCP specifies how to maintain a communication over the network without data distortion or depletion, whereas Internet Protocol specifies how addresses and packets are directed.

TCP/IP is a protocol suite that evolved from studies conducted by the United States Department of Defense and is built on a flexible rather than rigid layered architecture. The Hypertext Transfer Protocol (HTTP), which is the foundation of the World Wide Web, and the Simple Mail Transfer Protocol (SMTP), which is the backbone of email, are both constructed on top of TCP. The User Datagram Protocol (UDP), a companion to TCP, sacrifices the stability guarantees made by TCP in favor of a more rapid data transfer rate. TCP/IP was created before the OSI model and was meant to address a particular set of issues; it was not intended to serve as a universal representation of network communications. The OSI model and TCP/IP are related and different in ways [27] :

- Several features of Layer 5 (session) are performed by TCP, which corresponds to OSI Layer 4 (transport) and the network layer.
- While OSI specifies a number of standardized functions at higher levels than Layer 5, where a network session occurs, TCP/IP makes no such assumptions.
- Whereas OSI prescribes two connection layers below IP, TCP/IP makes no such requirements.

In cases when the system requires functionality that is not provided by TCP/IP, the application must provide it. Because of the abstract nature of the interfaces between the layers in the OSI model, it is presumed that applications would never implement any functionality that properly belongs in any designated layer. The TCP/IP model and the OSI model are quite similar in how they function. But there are distinctions between them that are worth observing. The primary distinction is the thickness of the layers. TCP/IP has a four-layer architecture, whereas OSI has seven. Differences between the OSI Model and the TCP/IP Model [29]

Table 2: Illustrates the comparative summary:

**Table 2: Differences between OSI and TCP/IP Model.**

TCP/IP	OSI
Implementation of OSI model	Reference model
Model around which Internet is Developed	This is a theoretical model
Has only 4 layers	Has 7 layers
Considered more reliable	Considered a reference tool
Protocols are not strictly defined	Stricter boundaries for the protocols
Horizontal approach	Vertical approach
Combines the session and presentation layer in the application layer	as separate session and presentation layer
Protocols were developed first and then the model was developed	Model was developed before the development of protocols
Supports only connectionless communication in the network layer	Supports connectionless and connection-oriented in the network layer
Protocol dependent standard	Protocol independent standard

## CONCLUSION

Variations between the TCP/IP and OSI frameworks are examined in this investigation. The Open Systems Interconnection (OSI) model is a communication structure that demonstrates how information packages journey across a network. The Department of Defense (DoD) created TCP/IP (Transmission Control Protocol/Internet Protocol) to guarantee the safety of classified military





information and to maintain channels of communication accessible during periods of trouble. The effectiveness and feasibility of a TCP/IP network rely on detailed preparation and implementation in accordance with industry norms. In opposition to the OSI standards, which have a tendency to be prescriptive (for instance, the "level N" must traverse "all levels beneath it"), the TCP/IP protocols are illustrative and permit the implementers with as much flexibility as conceivable. TCP/IP's modular structure enables implementations to control OS-specific characteristics, which frequently enhances effectiveness (limited CPU cycles, increased throughput for comparable tasks) while still ensuring "compatibility" with each other.

Both the TCP/IP and the OSI frameworks utilize both connection-oriented and distributed transport systems. On the contrary, "connections" and "information packets" are the phrases employed by the Internet's fundamental framework to depict the two TCP/IP categories. In comparison, the "accurate" OSI reference model employs connection-type and connection-based for the connection model and connectionless-type for the connectionless model. TCP/IP is the further established of the two data transmission protocols and has been in use for a greater duration. However, the OSI framework is a well-established concept that is incorporated in all alternative data transfer protocols. It will continue as the benchmark by which all other forms of communication software are evaluated.

When it pertains to TCP/IP, the application layer is both the demonstration and meeting layers collectively. The OSI data link and physical layers are combined into one by TCP/IP. The smaller layers of TCP/IP contribute to its apparent simplicity of usage. In contrast to the OSI model's transport layer, the TCP/IP transport layer's utilization of UDP does not guarantee the equal delivery of packets.

## REFERENCES

1. <http://compnetworking.about.com/od/networkprotocols/g/protocols.htm>
2. Marsden 1986, Section 6.1 - Why are standards necessary? pp. 64-65, uses BSC as an example to show the need for both standard protocols and a standard framework.
3. Comer 2000, Sect. 11.2 - The Need for Multiple Protocols, pp. 177, explains this by drawing analogies between computer communication and programming languages.
4. Sect. 11.10 - The Disadvantage of Layering, pp. 192, states: layering forms the basis for protocol design
5. [http://en.wikipedia.org/wiki/Internetwork\\_protocol](http://en.wikipedia.org/wiki/Internetwork_protocol)
6. American Psychological Association (APA): Protocol layer. (n.d.). The Free On-line Dictionary of Computing. Retrieved November 04, 2014. Chicago Manual Style (CMS): Protocol layer. Dictionary.com. the Free On-line Dictionary of Computing. Denis Howe. Http (accessed: November 04, 2014)
7. <http://www.ee.surrey.ac.uk/Projects/CAL/networks/Intro.htm>
8. Andrew S. Tanenbaum in Computer networks, pp. 27 [2008].
9. Andrew S. Tanenbaum in Computer networks, pp. 38 [2008].
10. Stewart, K., Adams, A. and Reid, A. (2008). Designing and Supporting Computer Networks, CCNA discovery Learning Guide, Cisco Press, USA
11. <http://www.dummies.com/how-to/content/layers-in-the-osi-model-of-a-computer-network.html>
12. <http://www.dummies.com/how-to/content/layers-in-the-osi-model-of-a-computer-network.html>
13. [http://en.wikipedia.org/wiki/OSI\\_model](http://en.wikipedia.org/wiki/OSI_model)
14. <http://searchnetworking.techtarget.com/definition/OSI>
15. [http://www.webopedia.com/quick\\_ref/OSI\\_Layers.asp](http://www.webopedia.com/quick_ref/OSI_Layers.asp) Updated March 11, 2014 / Posted September 24, 1999, by Vangie Beal.
16. Andrew S. Tanenbaum in Computer networks, pp. 41 [2008].
17. <http://searchnetworking.techtarget.com/definition/TCP-IP> Posted by Margaret Rouse WhatIs.com
18. <http://en.kioskea.net/faq/1855-the-tcp-ip-model> Published by aakai1056-Latest update by deri58, November 2014.
19. <http://www.omniseu.com/tcpip/tcpip-model.php> Published by: Jajish Thomason.
20. <http://www.omniseu.com/tcpip/tcpip-model.php> Published by: Jajish Thomason.
21. IP Packet Structure [http://www.inetdaemon.com/tutorials/basic\\_concepts/net\\_work\\_models/TCP-IP\\_model/](http://www.inetdaemon.com/tutorials/basic_concepts/net_work_models/TCP-IP_model/)
22. <http://www.omniseu.com/tcpip/tcpip-model.php> Published by: Jajish Thomason.



23. <http://www.buzzle.com/articles/tcpip-model-vs-osi-model.html>
24. <http://www.buzzle.com/articles/tcpip-model-vs-osi-model.html>
25. A Comparison of OSI Model vs. TCP/IP Model [http://www.inetdaemon.com/tutorials/basic\\_concepts/network\\_models/comparison.shtml](http://www.inetdaemon.com/tutorials/basic_concepts/network_models/comparison.shtml) Last Updated: Saturday, 15-Feb-2014 12:46:31 MST | By InetDaemon
26. <http://searchnetworking.techtarget.com/answer/What-is-the-difference-between-OSI-model-and-TCP-IP-other-than-the-number-of-layers>
27. <http://www.buzzle.com/articles/tcpip-model-vs-osi-model.html>
28. <http://www.studytonight.com/computer-networks/comparison-osi-tcp-model>
29. OSI Reference Model: An Overview by Gaurav Bora, Saurabh Bora, Shivendra Singh, Sheikh Mohamad Arsalan published in International Journal of Computer Trends and Technology (IJCTT) – volume 7 number 4– Jan 2014